

Amendments to the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (original): A method for maintaining ordering, the method comprising:
identifying a particular item of a plurality of items and in response, generating a locking request to an ordered lock corresponding to the particular item, wherein the ordered lock is configured to maintain a locking queue of identifiers corresponding to locking requests in the order requested and to place a particular identifier corresponding to the locking request at the end of the locking queue;

associating one or more instructions with the particular identifier corresponding to the locking request; and

identifying the particular identifier at the head of the locking queue, and in response, performing said one or more instructions.

Claim 2 (original): The method of claim 1, wherein said associating one or more instructions with the particular identifier is performed after another identifier corresponding to a second locking request is added to the locking queue.

Claim 3 (original): The method of claim 1, wherein the locking queue contains a plurality of other identifiers corresponding to other items when said generating the locking request to the ordered lock is performed.

Claim 4 (original): The method of claim 1, wherein said one or more instructions includes a lock conversion instruction to associate the particular item with a second ordered lock.

Claim 5 (original): The method of claim 1, wherein each item of the plurality of items includes a packet.

Claim 6 (original): The method of claim 5, wherein said one or more instructions includes a packet gather instruction.

Claim 7 (original): The method of claim 5, comprising processing one or more fields of the particular packet to identify a secondary ordered lock; and
wherein said one or more instructions includes a lock conversion instruction to associate the particular item with a second ordered lock.

Claim 8 (original): The method of claim 1, including sending a release lock acknowledgement message; wherein said one or more instructions includes initiating an operation; and wherein said sending the release lock acknowledgement message is performed after performance of the operation is complete.

Claim 9 (original): The method of claim 1, including sending a release lock acknowledgement message; wherein said one or more instructions includes initiating an operation; and wherein said sending the release lock acknowledgement message is performed before performance of the operation is complete.

Claim 10 (currently amended): A method for maintaining packet ordering, the method comprising:

repeatedly identifying a particular packet of a plurality of packets and in response, generating a locking request to an ordered lock corresponding to the particular packet, wherein the ordered lock maintains a locking queue of identifiers corresponding to the locking requests in the order requested;

communicating acceptance requests corresponding to packets of the plurality of packets to the ordered lock; and

repeatedly removing a particular identifier from the head of the locking queue, and granting a locking acceptance request corresponding to the particular identifier if a corresponding said acceptance request was previously generated, or waiting until the locking acceptance request corresponding to the particular identifier is generated and then granting the locking acceptance request corresponding to the particular identifier.

Claim 11 (original): The method of claim 10, wherein said locking requests are non-blocking and said acceptance requests are blocking.

Claim 12 (original): The method of claim 10, comprising: in response to said granting the locking acceptance request corresponding to a packet, forwarding the packet.

Claim 13 (original): The method of claim 10, comprising: in response to said granting the locking acceptance request corresponding to a packet, making a second locking request corresponding to the packet to a particular secondary lock of a plurality of secondary ordered locks, the particular secondary lock being identified based on contents of the packet.

Claim 14 (original): The method of claim 10, wherein the locking request corresponding to a first packet of the plurality of packets is generated before the locking request corresponding to the second packet of the plurality of packets, and the acceptance request corresponding to the second packet is made before the acceptance request corresponding to the first packet, and the acceptance request corresponding to the first packet is granted before the acceptance request corresponding to the second packet.

Claim 15 (currently amended): An apparatus for processing packets, the apparatus comprising:

a plurality of packet processors;

an ordered lock manager configured to receive lock requests, to receive instruction requests corresponding to said lock requests, and to process instructions corresponding to said lock requests in the order said lock requests are received; wherein and said instructions of each particular lock request are said processed after an immediately prior a lock request of said lock requests, immediately prior to said particular lock request in the order said lock requests are said received, is released; and

a distributor, coupled to the plurality of packet processors and the ordered lock manager, configured to receive a packet, make a locking request corresponding to the packet to the ordered lock manager, and to distribute the packet to one or more processors of the plurality of packet processors;

wherein at least one of said one or more processors is configured to communicate a set of instructions corresponding to the packet to the ordered lock manager.

Claim 16 (original): The apparatus of claim 15, wherein the set of instructions includes a packet gather instruction.

Claim 17 (original): The apparatus of claim 16, wherein the set of instructions includes an instruction for performing a lock release.

Claim 18 (original): The apparatus of claim 15, wherein the set of instructions includes a convert instruction for performing a secondary locking request.

Claim 19 (original): The apparatus of claim 15, wherein the set of instructions includes an instruction for performing a lock release request.

Claim 20 (original): An apparatus for processing packets, the apparatus comprising:
one or more locking mechanisms for operating a plurality of ordered locks, each ordered lock of the plurality of ordered locks including a queue for storing locking items, each locking mechanism of said one or more locking mechanisms configured to receive locking requests and to place indications of the locking requests in corresponding queues of said plurality of ordered locks, and to receive and react to locking accepts and locking releases, the plurality of ordered locks including a root ordered lock and a secondary ordered lock;
a plurality of packet processors;
a packet distributor configured to receive packets, to make root ordered locking requests for each of said packets, and to distribute each of said packets to the plurality of packet processors;
each packet processor of the plurality of packet processors configured to receive a particular packet, to accept a root ordered lock corresponding to the root ordered locking request for the particular packet, to process the packet to identify a secondary lock, to make a locking request corresponding to the secondary ordered lock, and to release the root ordered lock.

Claim 21 (original): The apparatus of claim 20, wherein said each packet processor is configured to perform said make the lock request corresponding to the secondary lock after said accepting the root ordered lock corresponding to the root ordered locking request for the particular packet and before said releasing the root ordered lock.

Claim 22 (original): An apparatus for maintaining ordering, the apparatus comprising:
means for identifying a particular item of a plurality of items and in response
generating a locking request to an ordered lock corresponding to the particular item, wherein
the ordered lock is configured to maintain a locking queue of identifiers corresponding to
locking requests in the order requested and to place a particular identifier corresponding to the
locking request at the end of the locking queue;
means for associating one or more instructions with the particular identifier
corresponding to the locking request; and
means for identifying the particular identifier at the head of the locking queue and in
response performing said one or more instructions.

Claim 23 (currently amended): The apparatus of claim 22, wherein said means for
associating one or more instructions with the particular identifier corresponding to the locking
request ~~includes means for associating~~ is configured to associate one or more instructions with
the particular identifier ~~is performed~~ after another identifier corresponding to a second locking
request is added to the locking queue.

Claim 24 (original): The apparatus of claim 22, wherein said one or more instructions
includes a lock conversion instruction to associate the particular item with a second ordered
lock.

Claim 25 (original): The apparatus of claim 22, wherein each item of the plurality of
items includes a packet.

Claim 26 (original): The apparatus of claim 25, wherein said one or more instructions
includes a packet gather instruction.

Claim 27 (original): The apparatus of claim 25, comprising means for processing one or more fields of the particular packet to identify a secondary ordered lock; and
wherein said one or more instructions includes a lock conversion instruction to associate the particular item with a second ordered lock.

Claim 28 (currently amended): An apparatus for maintaining packet ordering, the apparatus comprising:

means for repeatedly identifying a particular packet of a plurality of packets and in response, generating a locking request to an ordered lock corresponding to the particular packet, wherein the ordered lock maintains a locking queue of identifiers corresponding to the locking requests in the order requested;

means for communicating acceptance requests corresponding to packets of the plurality of packets to the ordered lock; and

means for repeatedly removing a particular identifier from the head of the locking queue, and granting a locking acceptance request corresponding to the particular identifier if a corresponding said acceptance request was previously generated, or waiting until the locking acceptance request corresponding to the particular identifier is generated and then granting the locking acceptance request corresponding to the particular identifier.

Claim 29 (original): The apparatus of claim 28, wherein said locking requests are non-blocking and said acceptance requests are blocking.

Claim 30 (original): The apparatus of claim 28, comprising: means for forwarding the packet in response to said granting the locking acceptance request corresponding to a packet.

Claim 31 (original): The apparatus of claim 28, comprising: means for making a second locking request corresponding to the packet to a particular secondary lock of a plurality of secondary ordered locks in response to said granting the locking acceptance request corresponding to a packet; and means for identifying the particular secondary lock based on contents of the packet.

Claim 32 (original): The apparatus of claim 28, wherein the locking request corresponding to a first packet of the plurality of packets is generated before the locking request corresponding to the second packet of the plurality of packets; and the acceptance request corresponding to the second packet is made before the acceptance request corresponding to the first packet; and the acceptance request corresponding to the first packet is granted before the acceptance request corresponding to the second packet.

Claim 33 (currently amended): A tangible computer-readable medium containing computer-executable instructions for performing steps for maintaining ordering, said steps comprising:

identifying a particular item of a plurality of items and in response, generating a locking request to an ordered lock corresponding to the particular item, wherein the ordered lock is configured to maintain a locking queue of identifiers corresponding to locking requests in the order requested and to place a particular identifier corresponding to the locking request at the end of the locking queue;

associating one or more instructions with the particular identifier corresponding to the locking request; and

identifying the particular identifier at the head of the locking queue, and in response, performing said one or more instructions.

Claim 34 (original): The computer-readable medium of claim 33, wherein said associating one or more instructions with the particular identifier is performed after another identifier corresponding to a second locking request is added to the locking queue.

Claim 35 (original): The computer-readable medium of claim 33, wherein the locking queue contains a plurality of other identifiers corresponding to other items when said generating the locking request to the ordered lock is performed.

Claim 36 (original): The computer-readable medium of claim 33, wherein said one or more instructions includes a lock conversion instruction to associate the particular item with a second ordered lock.

Claim 37 (original): The computer-readable medium of claim 33, wherein each item of the plurality of items includes a packet.

Claim 38 (original): The computer-readable medium of claim 37, wherein said one or more instructions includes a packet gather instruction.

Claim 39 (original): The computer-readable medium of claim 37, wherein said steps include processing one or more fields of the particular packet to identify a secondary ordered lock; and wherein said one or more instructions includes a lock conversion instruction to associate the particular item with a second ordered lock.

Claim 40 (currently amended): A tangible computer-readable medium containing computer-executable instructions for performing steps for maintaining packet ordering, said steps comprising:

repeatedly identifying a particular packet of a plurality of packets and in response, generating a locking request to an ordered lock corresponding to the particular packet, wherein the ordered lock maintains a locking queue of identifiers corresponding the locking requests in the order requested;

communicating acceptance requests corresponding to packets of the plurality of packets to the ordered lock; and

repeatedly removing a particular identifier from the head of the locking queue, and granting a locking acceptance request corresponding to the particular identifier if a corresponding said acceptance request was previously generated, or waiting until the locking acceptance request corresponding to the particular identifier is generated and then granting the locking acceptance request corresponding to the particular identifier.

Claim 41 (original): The computer-readable medium of claim 40, wherein said locking requests are non-blocking and said acceptance requests are blocking.

Claim 42 (original): The computer-readable medium of claim 40, wherein said steps include: in response to said granting the locking acceptance request corresponding to a packet, forwarding the packet.

Claim 43 (original): The computer-readable medium of claim 40, wherein said steps include: in response to said granting the locking acceptance request corresponding to a packet, making a second locking request corresponding to the packet to a particular secondary lock of a plurality of secondary ordered locks, the particular secondary lock being identified based on contents of the packet.

Claim 44 (original): The computer-readable medium of claim 40, wherein the locking request corresponding to a first packet of the plurality of packets is generated before the locking request corresponding to the second packet of the plurality of packets, and the acceptance request corresponding to the second packet is made before the acceptance request corresponding to the first packet, and the acceptance request corresponding to the first packet is granted before the acceptance request corresponding to the second packet.

Claim 45 (original): The computer-readable medium of claim 40, wherein said one or more instructions includes initiating an operation; and wherein said steps include sending a release lock acknowledgement message after performance of the operation is complete.

Claim 46 (original): The computer-readable medium of claim 40, wherein said one or more instructions includes initiating an operation; and wherein said steps include sending a release lock acknowledgement message before performance of the operation is complete.

Claim 47 (new): An apparatus for processing packets, the apparatus comprising:
a plurality of packet processors;
an ordered lock manager configured to receive lock requests, to receive instruction requests corresponding to said lock requests, and to process instructions corresponding to said lock requests in the order said lock requests are received; and
a distributor, coupled to the plurality of packet processors and the ordered lock manager, configured to receive a packet, make a locking request corresponding to the packet to the ordered lock manager, and to distribute the packet to one or more processors of the plurality of packet processors;
wherein at least one of said one or more processors is configured to communicate a set of instructions corresponding to the packet to the ordered lock manager.

Claim 48 (new): The apparatus of claim 47, wherein the set of instructions includes a packet gather instruction.

In re WILLIAMS, JR. ET AL., Application No. 10/706,704
Amendment A

Claim 49 (new): The apparatus of claim 48, wherein the set of instructions includes an instruction for performing a lock release.

Claim 50 (new): The apparatus of claim 47, wherein the set of instructions includes a convert instruction for performing a secondary locking request.

Claim 51 (new): The apparatus of claim 47, wherein the set of instructions includes an instruction for performing a lock release request.